

Departmental Publications (January 1to December 31, 2013)

1. Abulhasan YB, Al-Jehani H, Valiquette MA, McManus A, Dolan-Cake M, Ayoub O, **Angle M**, Teitelbaum J. Lumbar drainage for the treatment of severe bacterial meningitis. *Neurocrit Care*. 2013 Oct; 19(2):199-205.
2. Zuo K, **Asenjo JF**, Colmegna I. Butterfly vertebra. *Arthritis Rheum*. 2013 Jan; 65(1):196.
3. Koeva V, Bar-Or A, Gendron D, **Backman SB**. Epidural blood patch in a patient with multiple sclerosis: is it safe? *Can J Anaesth*. 2013 May; 60(5):479-83.
4. Cerantola Y, Valerio M, Persson B, Jichlinski P, Ljungqvist O, Hubner M, Kassouf W, Muller S, **Baldini G**, Carli F, Naesheim T, Ytrebo L, Revhaug A, Lassen K, Knutsen T, Aarseth E, Wiklund P, Patel HR. Guidelines for perioperative care after radical cystectomy for bladder cancer: enhanced Recovery After Surgery (ERAS®) society recommendations..*Clin Nutr*. 2013 Dec; 32(6):879-87.
<http://www.ncbi.nlm.nih.gov/pubmed/24189391>
5. Patel HR, Cerantola Y, Valerio M, Persson B, Jichlinski, Ljungqvist O, Hubner K, Kassouf W, Muller S, **Baldini G**, Carli F, Naesheim T, Ytrebo L, Revhaug A, Lassen K, Aarseth E, Wiklund P, Patel HR. Enhanced recovery after surgery are we ready, and can we afford not to implement these pathways for patients undergoing radical cystectomy? *Eur Uro* 2013; 62: 263-6.
6. Antonescu I, **Baldini G**, Watson D, Kaneva P, Fried GM, Khwaja K, Vassiliou MC, Carli F, Feldman LS. Impact of bladder scan protocol on discharge efficiency within a care pathway for ambulatory inguinal herniorrhaphy. *Surg Endosc* 2013; 27: 4711-20.
<http://www.ncbi.nlm.nih.gov/pubmed/23955727>
7. Feldman L, **Baldini G**, Lee L, Carli F. Basic Surgical and Perioperative Considerations: Enhanced Recovery Pathways : Organization of Evidence-Based, Fast-Track Perioperative Care In: *Scientific American Surgery*, 2013; 1-29.
http://www.sciamsurgery.com/sciamsurgery/institutional/instSearchReader.action?bookd=ACS&chapId=part01_ch09&partId=&type=chapID&start=0&heading=chapter&from=Chapter&hitStart=0&searchKeyword=Enhanced%20Recovery%20Pathways#
8. Janes K, Doyle T, Bryant L, Esposito E, Cuzzocrea S, Ryerse J, **Bennett GJ**, Salvemini D. Bioenergetic deficits in peripheral sensory afferents during chemotherapy-induced neuropathic pain result from peroxynitrite mediated post-translational nitration of mitochondrial superoxide dismutase. *Pain* 2013; 154: 2432-2440.
9. **Bertolizio G**, Stucchi R, Sahillioglu E, Somaini M, Dander E, Biondi A, Jankovic M, D'Amico G, Ingelmo PM. The effects of propofol and ketamine on the cytokine levels of children with acute lymphoblastic leukemia.. *J Pediatr Hematol Oncol*. 2013 Oct;35(7)

10. **Bertolizio G**, Ingelmo P. In Reply: Propofol and Additives in Studies Evaluating Inflammatory Responses. *J Pediatr Hematol Oncol*. 2013 Dec 4.
11. **Bertolizio G**, Yuki K, Odegard K, Collard V, Dinardo Cardiac arrest and neuromuscular blockade reversal agents in the transplanted heart. *J.J Cardiothorac Vasc Anesth*. 2013 Dec; 27(6):1374-8.
12. Gramigni E, **Bracco D**, Carli F. Epidural analgesia and postoperative orthostatic haemodynamic changes: observational study. *Eur J Anaesthesiol*. 2013 Jul; 30(7):398-404.
13. Horwood L, Nguyen L, **Brown K**, Paci P, Constantin E. African-American ethnicity as a risk factor for respiratory complications following adenotonsillectomy. *JAMA Otolaryngology-Head & Neck Surgery* 2013; 139(2):147-152.
14. **Brown KA**. Evaluation of the child with sleep disordered breathing scheduled for adenotonsillectomy. *Sleep Medicine Clinic* 2013; 8:149-155.
15. Sirisopana M, Saint-Martin C, Wang NN, Manoukian J, Nguyen LHP, **Brown KA**. Novel measurements of the length of the subglottic airway in infants and young children. *Anesthesia & Analgesia* 2013; 117(2):462-470.
16. Robles CA, **Brown KA**, Kearney RE. A new movement artifact detector for photoplethysmographic signals. *Conf. Proc. 35th IEEE Eng. Med. Biol. Soc. Osaka, Japan 2013* pp. 2295-2299.
17. Robles CA, Kearney RE, **Brown KA**, Inclusion of lissajous plot on scoring software improves classification of thoracoabdominal asynchrony. *13th Int. Symp Sleep Breath. Montreal, Canada 2013*.
18. Scheffler P, Muccio S, Egiziano G, Doonan RJ, Yu A, **Carli F**, Daskalopoulou . Heart rate variability exhibits complication-dependent changes postsurgery. *SS.Angiology*. 2013 Nov; 64(8):597-603.
19. Fearon KC, Jenkins JT, **Carli F**, Lassen K. Patient optimization for gastrointestinal cancer surgery. *Br J Surg* 2013; Jan: 100(1):15-27.
20. Lee L, Elfassy N, Li C, Latimer E, Liberman AS, Charlebois P, Stein B, **Carli F**, Fried GM, Feldman LS, Valuing postoperative recovery: validation of the SF-D6. *J Surg Research* 2013; 184:108-14.
21. Brown R, **Carli F**. Reply: to PMID 22638674. *Can J Anesth* 2013; 60: 209.
22. Lee L, Tran T, Mayo NE, **Carli F**, Feldman S. What does it really mean to “Recover” from an operation? *Surgery* 2013 e-pub.
23. Lee L, Schwartzman K, **Carli F**, Zavorsky GS, Li Ch, Charlebois P, Stein B, Liberman AS, Fried GM, Feldman LS. The association of the distance walked in 6 min with

- preoperative peak oxygen consumption and complications 1 month after colorectal resection. *Anaesthesia* 2013; 68: 811-6.
24. Lee L, Li C, Landry T, Latimer E, **Carli F**, Fried GM, Feldman LS. A systematic review of economic evaluations of enhanced recovery pathways for colorectal *Ann Surg* 2013 May 12 Epub.
 25. McClave SA, Kozar R, Martindale RG, Heyland DK, Braga M, **Carli F**, Drover JW. Summary points and consensus recommendation from the North American Surgical Nutrition Summit. *J Parenter Enteral Nutr* 2013; 37 (suppl) 99S-105S.
 26. Heyland DK, Dhaliwal R, Cahill NE, **Carli F**, Flum D, Ko C, Kozar R, Drover JW, McClave SA. Driving perioperative nutrition quality improvement processes forward. *J Parenter Enteral Nutr* 2013 37: 83S – 98S.
 27. Lee L, Li C, Robert N, Latimer E, **Carli F**, Mulder DS, Fried GM, Ferri, Feldman LS. Economic impact of an enhanced recovery pathway for oesophagectomy. *Br J Surg* 2013; 10: 1326-34.
 28. Kolozsvari NO, Capretti G, Kaneva P, Neville A, **Carli F**, Liberman S, Charlebois P, Stein B, Vassiliou MC, Fried GM, Feldman LS. Impact of an enhanced recovery program on short-term outcomes after scheduled laparoscopic colon resection. *Surg Endosc.* 2013 Jan; 27(1):133-8.
 29. **Carvalho G**, Lattermann R, Codere-Maruyama T, Schrickler T. Glucose and insulin administration while maintaining normoglycemia: The GIN concept. *Minerva anestesologica.* 2013; 79: 74-82.
 30. Pitcher MH, Nieto FR and **Cervero F**. Stimulation of cutaneous low threshold mechanoreceptors in mice after intracolonic capsaicin increases c-Fos labeling in an NKCC1-dependent fashion. *J. Pain* 2013; 14: 57-65.
 31. **Cervero F**. Pain research: what have we learned and where are we going. *British Journal of Anaesthesia* 2013; 111: 6–8.
 32. **Cervero F**. Chronic pain: is it all in the brain? Webinar for the Canadian Institute for the Relief of Pain and Disability 2013; <http://vimeo.com/64243953>
 33. Merchant R, **Chartrand D**, Dain S, Dobson G, Kurrek M, Lagacé A, Stacey S, Thiessen B. Canadian Anesthesiologists' Society. Guidelines to the practice of anesthesia revised edition 2013. *Can J Anaesth.* 2013 Jan; 60(1):60-84.
 34. Ragavendran JV, Laferriere A, Xiao WH, Bennett GJ, Padi, SSV, Zhang J, **Coderre TJ**. Topical combinations for chronic pain aimed at treating microvascular dysfunction reduce allodynia in animal models of CRPS-I and neuropathic pain. *J Pain* 2013; 14: 66-78. Recommended by Faculty of 1,000.

35. Kumar N, Cherkas PS, Varathan V, Miyamoto M, Chiang CY, Dostrovsky JO, Sessle BJ, **Coderre TJ**. Systemic pregabalin attenuates facial hypersensitivity and noxious stimulus-evoked release of glutamate in medullary dorsal horn in a rodent model of trigeminal neuropathic pain. *Neurochem Int* 2013; 62:831-835.
36. Ross-Huot M-C, Laferriere A, *Khorashadi M, **Coderre TJ**. Glycemia-dependent nuclear factor kappa B activation contributes to mechanical allodynia in rats with chronic post-ischemia pain. *Anesthesiology* 2013, 119:687-697.
37. **Coderre TJ**, Abbott FV, Sawynok J. The formalin test. *Encyclopedia of Pain*, 2nd edition [Schmidt M & Gebhart G, Eds.], Springer, Berlin Heidelberg, Germany, 2013. DOI: 10.1007/SpringerReference_333899 2012-07-16 11:21:07 UTC.
38. Fillingim RB, Ohrbach R, Greenspan JD, Knott C, **Diatchenko L**, Dubner R, Bair E, Baraian C, Mack N, Slade GD, Maixner W. Psychological Factors Associated With Development of TMD: The OPPERA Prospective Cohort Study. *J Pain*. 2013 Dec; 14(12 Suppl):T75-90.
39. Greenspan JD, Slade GD, Bair E, Dubner R, Fillingim RB, Ohrbach R, Knott C, **Diatchenko L**, Liu Q, Maixner W. Pain Sensitivity and Autonomic Factors Associated With Development of TMD: The OPPERA Prospective Cohort Study. *J Pain*. 2013 Dec;14(12 Suppl):T63-T74.
40. Ohrbach R, Bair E, Fillingim RB, Gonzalez Y, Gordon SM, Lim PF, Ribeiro-Dasilva M, **Diatchenko L**, Dubner R, Greenspan JD, Knott C, Maixner W, Smith SB, Slade GD. Clinical Orofacial Characteristics Associated With Risk of First-Onset TMD: The OPPERA Prospective Cohort Study. *J Pain*. 2013 Dec; 14(12 Suppl):T33-50.
41. Slade GD, Bair E, Greenspan JD, Dubner R, Fillingim RB, **Diatchenko L**, Maixner W, Knott C, Ohrbach R. Signs and Symptoms of First-Onset TMD and Sociodemographic Predictors of Its Development: The OPPERA Prospective Cohort Study. *J Pain*. 2013 Dec;14(12 Suppl):T20-T32.
42. Bair E, Brownstein NC, Ohrbach R, Greenspan JD, Dubner R, Filingim RB, Maixner W, Smith SB, **Diatchenko L**, Gonzalez Y, Gordon SM, Lim PF, Ribeiro-Dasilva M, Dampier D, Knott C, Slade GD. Study Protocol, Sample Characteristics, and Loss to Follow-Up: The OPPERA Prospective Cohort Study, *J Pain*, 2013 Dec; 14 (12 Suppl): T2-T19.
43. Slade GD, Fillingim RB, Sanders AE, Bair E, Greenspan JD, Ohrbach R, Dubner R, **Diatchenko L**, Smith SB, Knott C, Maixner W. Summary of Findings From the OPPERA Prospective Cohort Study of Incidence of First-Onset Temporomandibular Disorder: Implications and Future Directions. *J Pain*. 2013 Dec; 14(12 Suppl):T116-24.

44. Bair E, Ohrbach R, Fillingim RB, Greenspan JD, Dubner R, **Diatchenko L**, Helgeson E, Knott C, Maixner W, Slade GD. Multivariable Modeling of Phenotypic Risk Factors for First-Onset TMD: The OPPERA Prospective Cohort Study. *J Pain*. 2013 Dec; 14(12 Suppl):T102-15.
45. Sanders AE, Essick GK, Fillingim R, Knott C, Ohrbach R, Greenspan JD, **Diatchenko L**, Maixner W, Dubner R, Bair E, Miller VE, Slade GD Sleep apnea symptoms and risk of temporomandibular disorder: OPPERA cohort. *J Dent Res*. 2013 Jul; 92(7 Suppl):70S-7S.
46. Slade GD, Smith S, Zaykin D, Tchivileva I, Gibson DG, Yuryev A, Mazo I, Bair E, Fillingim R, Ohrbach R, Maixner W, **Diatchenko L**. Facial pain with localized and widespread manifestations: separate pathways of vulnerability. *Pain*. 2013 Nov; 154(11):2335-43.
47. Jeffers L, Duan K, Ellies L, Seaman W, Burger-Calderon, R, **Diatchenko L**, Webster-Cyriaque. Correlation of transcription of MALAT-1, a novel noncoding RNA, with deregulated expression of tumor suppressor p53 in small DNA tumor virus models. *J of Cancer Therapy*. 2013 May; 4(3).
48. Chen H, Nackley A, Miller V, **Diatchenko L**, Maixner W. Multisystem Dysregulation in Painful Temporomandibular Disorders. *J Pain*. 2013 Sep; 14(9):983-96.
49. Bortsov AV, Smith JE, **Diatchenko L**, Soward AC, Ulirsch JC, Rossi C, Swor RA, Hauda WE, Peak DA, Jones JS, Holbrook D, Rathlev NK, Foley KA, Lee DC, Collette R, Domeier RM, Hendry PL, McLean SA. Polymorphisms in the glucocorticoid receptor co-chaperone FKBP5 predict persistent musculoskeletal pain after traumatic stress exposure. *Pain*. 2013 Aug; 154(8):1419-26.
50. Belfer I, Segall SK, Lariviere, WR, Smith SB, Dai F, Slade GG, Rashid NU, Mogil JS, Campbell CM, Edwards, RR, Liu Q, Bair E, Maixner W, **Diatchenko L**. Pain modality- and sex-specific effects of COMT genetic functional variants. *Pain*. 2013 Aug; 154(8):1368-76.
51. **Diatchenko L**, Fillingim RB, Smith SB, Maixner W. The phenotypic and genetic signatures of common musculoskeletal pain conditions. *Nat Rev Rheumatol*. 2013 Jun; 9(6):340-50.
52. González AP, Bernucci F, Techasuk W, Pham K, **Finlayson RJ**, Tran de QH. A randomized comparison between 3 combinations of volume and concentration of lidocaine for ultrasound-guided infraclavicular block. *Reg Anesth Pain Med* 2013; 38: 206-211.

53. **Finlayson RJ**, Etheridge JP, Vieira L, Gupta G, Tran de. A randomized comparison between ultrasound- and fluoroscopy-guided third occipital nerve block. *Reg Anesth Pain Med* 2013; 38: 212-217.
54. Gonzalez AP, Bernucci F, Pham K, Correa JA, **Finlayson RJ**, Tran de QH. Minimum effective volume of lidocaine for double-injection ultrasound-guided Axillary Block. *Reg Anesth Pain Med*. 2013; 38:16-20.
55. **Finlayson RJ**, How I do it: Ultrasound-guided cervical medial branch blocks In: ASRA Newsletter August 2013: 17-19. American Society of Regional Anesthesia and Pain Medicine
56. **Hatzakorzian R**, Bui H, Schricker T, Backman SB. Broken heart syndrome triggered by an obstructive goiter not associated with thyrotoxicosis. *Can J Anaesth*. 2013 Aug; 60(8):808-12.
57. Moore AR, Shan WL, **Hatzakorzian R**. Predicting early epidurals: association of maternal, labor, and neonatal characteristics with epidural analgesia initiation at a cervical dilation of 3 cm or less. *Local Reg Anesth*. 2013 Aug 28; 6:25-9.
58. **Ingelmo PM**, Bucciero M, Somaini M, Sahillioglu E, Garbagnati A, Charton A, Rossini V, Sacchi V, Scardilli M, Lometti A, Joshi GP, Fumagalli R, Diemunsch P. Intraperitoneal nebulization of ropivacaine for pain control after laparoscopic cholecystectomy: a double-blind, randomized, placebo-controlled trial. *Br J Anaesth*. 2013 May; 110(5):800-6.
59. Locatelli BG, **Ingelmo PM**, Emre S, Meroni V, Minardi C, Frawley G, Benigni A, Di Marco S, Spotti A, Busi I, Sonzogni V. Emergence delirium in children: a comparison of sevoflurane and desflurane anesthesia using the Paediatric Anesthesia Emergence Delirium scale. *Paediatr Anaesth*. 2013 Apr; 23(4):301-8. PMID: 23043512
60. Gagnon J, Boucher L, **Kaufman I**, Brown R, Moore A. Liliac artery rupture related to balloon insertion for placenta accreta causing maternal hemorrhage and neonatal compromise. *Can J Anaesth*. 2013 Dec; 60(12):1212-7.
61. Hassanain M, Metrakos P, Fisette A, Doi SA, Schricker T, **Lattermann R**, Carvalho G, Wykes L, Molla H, Cianflone K. Randomized clinical trial on the impact of insulin therapy on liver function in patients undergoing major liver resection. *Br J Surg* 2013; 100: 610-618.
62. Reed SJ, **Plourde G**, Tobin S and Chapman, CA Partial antagonism of propofol anesthesia by physostigmine in rats is associated with potentiation of fast (80-200 Hz) oscillations in the thalamus, *Br J Anaesthesia*, 2013 110: 646–53, doi:10.1093/bja/aes432
63. **Schricker T**, Wykes L, Meterissian S, Hatzakorzian R, Eberhart L, Carvalho G, Meguerditchian A, Nitschmann E, Lattermann R. The anabolic effect of perioperative

- nutrition depends on the patient's catabolic state before surgery. *Annals of Surgery* 2013; 257: 155-9.
64. Hülshoff A, **Schricker T**, Elgendy H, Hatzakorzian R, Lattermann R. Albumin synthesis in surgical patients. *Nutrition*. 2013 May; 29(5):703-7.
65. Letourneau J, Bui H, **Schricker T**, Hatzakorzian R. HbA1c: a prognostic biomarker in the surgical and critically ill patient population. *J Cardiothoracic Vasc Anesth*. 2013 Aug; 27(4):760-4.
66. Thompson S, Millecamps M, Aliaga A, Seminowicz DA, Low LA, Bedell BJ, Stone LS, **Schweinhardt P**, Bushnell MC. Metabolic brain activity suggestive of ongoing pain in a rat model of neuropathic pain. *Neuroimage*, accepted.
67. Pollak KA, Swenson JD, Vanhaitsma TA, Hughen RW, Jo D, Light KC, **Schweinhardt P**, Amann M, Light AR. Exogenously Applied Muscle Metabolites Synergistically Evoke Sensations of Muscle Fatigue and Pain in Human Subjects. *Experimental Physiology*, 2013 Oct 18. [Epub ahead of print].
68. Becker S, Ceko M, Foster M, Elfassy N, Shir Y, Leyton M, **Schweinhardt P**. Dopamine and pain sensitivity: neither sulpiride nor acute phenylalanine and tyrosine depletion have effects on thermal pain sensations in healthy volunteers. *PLoS ONE* 8(11): e80766. doi:10.1371/journal.pone.0080766
69. Bayet S, Bushnell MC, **Schweinhardt P**. Emotional faces alter pain perception. *E J Pain*, accepted.
70. Ceko M, Bushnell MC, Fitzcharles MA, **Schweinhardt P**. Fibromyalgia interacts with age to change the brain. *Neuroimage: Clinical* 2013; 6 (3):249-260.
71. Becker S, Gandhi W, Elfassy N, **Schweinhardt P**. The role of dopamine in the perceptual modulation of nociceptive stimuli by monetary wins or losses. *Eur J Neurosci*. 2013 Jul 10. doi: 10.1111/ejn.12303. [Epub ahead of print].
72. Farmer MA, Maykut CA, Huberman JS, Huang J, Khalife S; Binik YM, Apkarian AV, **Schweinhardt P**. Psychophysical Properties of Female Genital Sensation. *Pain* 2013; 154(11):2277-86.
73. Price R, Asenjo JF, Christou NV, Backman SB, **Schweinhardt P**. The role of excess subcutaneous fat in pain and sensory sensitivity in obesity. *European Journal of Pain* 2013; 17(9):1316-26.
74. Gandhi W, Becker S, **Schweinhardt P**. Pain increases motivational drive to obtain reward, but does not affect associated hedonic responses to reward: A behavioral study in healthy volunteers. *European Journal of Pain* 2013; 17(7):1093-103.

75. **Schweinhardt P**, Abulhasan YB, Koeva, V, Kim DJ, Alhujairi, M, Carli F. Blood pressure decreases counteract analgesic effects of propranolol in healthy men. *European Journal of Pain* 2013; 17(5):704-13.
76. Fitzcharles MA, Ste-Marie PA, **Shir Y**. A medicolegal analysis of worker appeals for fibromyalgia as a compensable condition following workplace soft-tissue injury. *J Rheumatol* 2013; 40; 323-8.
77. Fitzcharles MA, Faregh N, Ste-Marie PA, **Shir Y**. Opioid use in fibromyalgia is associated with negative health related measures in a prospective cohort study. *Pain Res Treat* 2013; 2013:898493. doi: 10.1155/2013/898493. Epub 2013 Mar 18.
78. Fitzcharles MA, Ste-Marie PA, Goldenberg DL, Pereira JX, Abbey S, Choinière M, Ko G, Moulin DE, Panopalis P, Proulx J, **Shir Y**. 2012 Canadian Guidelines for the diagnosis and management of fibromyalgia syndrome: Executive summary. *Pain Res Manag* 2013; 18; 119-26.
79. Ablin J, Fitzcharles MA, Buskila D, **Shir Y**, Sommer C, Häuser W. Treatment of fibromyalgia syndrome: recommendations of recent evidence-based interdisciplinary guidelines with special emphasis on complementary and alternative therapies. *Evidence-Based Complementary and Alternative Medicine: Volume 2013, Article ID 485272*.
80. Becker S, Ceko M, Louis-Foster M, Elfassy NM, Leyton M, **Shir Y**, Schweinhardt P. Dopamine and Pain Sensitivity: Neither Sulpiride nor Acute Phenylalanine and Tyrosine Depletion Have Effects on Thermal Pain Sensations in Healthy Volunteers. *PLoS One*, 2013 Nov 13; 8 (11) 8.
81. Fitzcharles MA, **Shir Y**, Ablin JN, Buskila D, Amital H, Henningsen P, Häuser W. Classification and Clinical Diagnosis of Fibromyalgia Syndrome: Recommendations of Recent Evidence-Based Interdisciplinary Guidelines. *Evid Based Complement Alternat Med* 28952:2013.
82. Fitzcharles MA, Ste-Marie PA, Goldenberg DL, Pereira JX, Abbey S, Choinière M, Ko G, Moulin DE, Panopalis P, Proulx J, **Shir Y**. Canadian Pain Society and Canadian Rheumatology Association recommendations for rational care of persons with fibromyalgia: a summary report. *J Rheumatol*. 2013 Aug; 40(8):1388-93.
83. Fitzcharles MA, Ste-Marie PA, **Shir Y**. Dr. Fitzcharles, et al reply. *J Rheumatol*. 2013 Sep; 40(9):1622.
84. Chabot-Doré AJ, Millecamps M, **Stone LS**. The delta-opioid receptor is sufficient, but not necessary, for spinal opioid-adrenergic synergy. *J Pharmacol Exp Ther*. 2013; 347(3):773-780, December 2013. <http://www.ncbi.nlm.nih.gov/pubmed/24039246>

85. Schuster D, Kitto KF, Overland A, Messing R, **Stone LS**, Fairbanks CA, Wilcox GL. Protein kinase C-epsilon is required for spinal analgesic synergy between delta opioid and alpha-2A adrenergic receptor agonist pairs. *Journal of Neuroscience*, 2013; 33(33):13538 –13546. <http://www.ncbi.nlm.nih.gov/pubmed/23946412>
86. Vachon P, Millecamps M, Low L, Thompson SJ, Pailleux F, Beaudry F, Bushnell MC, **Stone LS**. Alleviation of chronic neuropathic pain by environmental enrichment in mice well after the establishment of chronic pain. *Behavioral and Brain Functions* 2013, 9:22. <http://www.ncbi.nlm.nih.gov/pubmed/24025218>
87. Alvarado S, Tajerian M, Millecamps M., Suderman M, **Stone LS**, Szyf M. Peripheral Nerve Injury Is accompanied by chronic transcriptome-wide changes in the mouse prefrontal cortex. *Molecular Pain*, 2013, 9:21. <http://www.ncbi.nlm.nih.gov/pubmed/23597049>
88. Tajerian M, Alvarado S, Millecamps M, Vachon P, Crosby C, Bushnell MC, Szyf M, **Stone LS**. Peripheral Nerve Injury Is Associated with Chronic, Reversible Changes in Global DNA Methylation in the Mouse Prefrontal Cortex. *PLOS One*, 2013; 8(1), e55259. <http://www.ncbi.nlm.nih.gov/pubmed/23383129>
89. **Tran de DQH**, Techasuk W, Finlayson RJ. Elicitation of paresthesia, peripheral nerve stimulation and intraneural injection: new insight provided by ultrasonography. *Adv Anesth*. 2013; 31:1-19.
90. **Tran de DQH**, Tiyaprasertkul W, Gonzalez AP. Analgesia for Clavicular Fracture and Surgery: A Call for Evidence. *Reg Anes Pain Med*. 2013; 38:539-43.
91. **Tran de DQH**, Bernucci F, Gonzalez A, Finlayson R. Reply to Drs Akkalad et al and Wong et al. *Reg Anesth Pain Med* 2013; 38:166-167.
92. **Tran de DQH**, Gonzalez AP, Bernucci F, Pham K, Finlayson RJ. A Randomized Comparison Between Bifurcation and Prebifurcation Subparaneural Popliteal Sciatic Nerve Blocks. *Anesth Analg* 2013; 116: 1170-5.
93. **Tran de QH**, Bernucci F, Gonzalez AP, Finlayson RJ. Ultrasound-Guided Perivascular Axillary Brachial Plexus Block: not so simple (reply) *Reg Anest Pain Med*. 2013; 38(2) 16-167.
94. **Tran de QH**, Bernucci F, Gonzalez AP, Finlayson RJ. Reply to Dr Aveline. *Reg Anest Pain Med*. 2013; 38:75.
95. **Tran de QH**, Bernucci F, Gonzalez AP, Finlayson RJ. Reply to Drs Alakkad et al and Wong et al. *Reg Anesth Pain Med* 2013; 38:168-169.
96. **Valois-Gómez T**, Oofuvong M, Auer G, Coffin D, Loetwiriyaikul W, Correa JA. Incidence of difficult bag-mask ventilation in children: a prospective observational study. *Paediatr Anaesth*. 2013 Oct; 23(10):920-6.

97. Hazekamp A, **Ware MA**, Muller-Vahl KR, Abrams D, Grotenhermen The medicinal use of cannabis and cannabinoids--an international cross-sectional survey on administration forms. *F.J Psychoactive Drugs*. 2013 Jul-Aug; 45(3):199-210.
98. Tellier PP, Bélanger E, Rodríguez C, **Ware MA**, Posel N. Improving undergraduate medical education about pain assessment and management: a qualitative descriptive study of stakeholders' perceptions. *Pain Res Manag*. 2013 Sep-Oct; 18(5):259-65.
99. **Ware MA**. Cannabis and the lung: no more smoking gun? *Ann Am Thorac Soc*. 2013 Jun; 10(3):248.
100. Necyk C, **Ware MA**, Arnason JT, Tsuyuki RT, Boon H, Vohra S. Increased bruising with the combination of long-chain omega-3 fatty acids, flaxseed oil and clopidogrel. *Can Pharm J (Ott)*. 2013 Mar; 146(2):93-6.
101. Backonja MM, Attal N, Baron R, Bouhassira D, Drangholt M, Dyck PJ, Edwards RR, Freeman R, Gracely R, Haanpaa MH, Hansson P, Hatem SM, Krumova EK, Jensen TS, Maier C, Mick G, Rice AS, Rolke R, Treede RD, Serra J, Toelle T, Tugnoli V, Walk D, Walalce MS, **Ware M**, Yarnitsky D, Ziegler D. Value of quantitative sensory testing in neurological and pain disorders: NeuPSIG consensus. *Pain*. 2013 Sep; 154(9):1807-1819.
102. Papanikolaou E, Kontostathi G, Drakopoulou E, Georgomanoli M, Stamateris E, Vougas K, Vlahou A, Maloy A, **Ware M**, Anagnou NP. Characterization and comparative performance of lentiviral vector preparations concentrated by either one-step ultrafiltration or ultracentrifugation. *Virus Res*. 2013 Jul; 175(1):1-11.
103. Conostas A, **Ware MA**. An Audit of Patients Currently Using Legally Acquired Cannabis as a Means of Managing Chronic Pain. *RCSlsmj* 2013; 6(1) 17-21.

Abstracts II.A
(January 1 to December 31, 2013)

1. Smith SB, Mir E, Bair E, Slade GD, Dubner R, Fillingim RB, Greenspan JD, Ohrbach R, Knott C, Weir B, Maixner W, **Diatchenko L**. Genetic architecture of intermediate phenotypes associated with incident TMD in the OPPERA Prospective Study. American Academy of Orofacial Pain 37th Scientific Meeting, Orlando, Florida 2013
2. Smith SB, **Diatchenko L**, Palsson O, Kanazawa M, van Tilburg M, Maixner W and Whitehead WE. Genetic association and meta-analysis implicates the ADRB2 adrenergic receptor gene in Irritable Bowel Syndrome (IBS). American Pain Society Annual Scientific Meeting, New Orleans, LA, 2013
3. Marcovitz J, Wieskopf JS, Webb ME, Samoshkin A, Dokholyan N, Convertino M, Stone LS, Mogil JS, **Diatchenko L**. Synergistic Analgesia Between Morphine and Beta-Adrenergic Antagonists. Annual Scientific Meeting, Society for Neuroscience, San Diego, CA, 2013.
4. De Gregori M, Di Matteo M, Allegri M, Belfer I, **Diatchenko L**. How pharmacogenetics might help to predict postoperative pain and patient response to analgesia by morphine PCA: a case report. 8th ISABS Conference on Forensic, Anthropologic and Medical Genetics. Split, Croatia, 2013.
5. Bortsov AV, **Diatchenko L**, Swor RA, Peak DA, Jones JS, Rathlev NK, Lee DC, Domeier RM, Hendry PL, McLean SM. COMT Haplotypes Predict Pain Intensity and Interference 6 Weeks after Motor Vehicle Collision. 32nd Annual Scientific Meeting, American Pain Society, New Orleans, LA, 2013.
6. Smith SB, **Diatchenko L**, Palsson O, Kanazawa M, van Tilburg M, Maixner W, Whitehead WE. Genetic association and meta-analysis implicates the ADRB2 adrenergic receptor gene in Irritable Bowel Syndrome (IBS). 32nd Annual Scientific Meeting, American Pain Society, New Orleans, LA, 2013.
7. Meloto C, Segall S, Gauthier J, Tsao D, Maixner W, **Diatchenko L**. Characterization of a new COMT isoform associated with TMD. 32nd Annual Scientific Meeting, American Pain Society, New Orleans, LA, 2013.

Book Chapters (January 1 to December 31, 2013)

1. Hannallah RS, **Brown KA**, Verghese ST. Otorhinolaryngologic Procedures, Chapter 31, In: A Practice of Anesthesia for Infants and Children, 5th Edition. Dr. Charles J. Coté, Jerrald Lerman, Brian Anderson (eds). January 25, 2013.
2. **Diatchenko, L.** COMT is a Major Contributor to Pain Reception: from Humans to Rats and Back to Humans. In L. Eiden (Ed.), Catecholamine Reserch in the 21st Century: Abstracts and Graphical Abstracts; 10th International Catecholamine Symposium 2012, P. 77-78, Oxford, UK, Elsevier, 2013.
3. Gandhi W, Becker S, **Schweinhardt P.** The influence of pain on reward processing: current literature and prospects. Special Springer Volume on Pain and Addiction, accepted.
4. Velly A, **Schweinhardt P**, Friction J. Co-morbid Pain Conditions Affecting Patients with Temporomandibular Disorders: Implications for Management. In: Treatment of Temporomandibular Disorders: Bridging the Gap Between Advances in Basic Research and Clinical Patient Management, 47-57 (Quintessence Publishing Co Inc, 2013, eds: Greene CS, Laskin DM).
5. Apkarian AV, Bushnell MC, **Schweinhardt P.** Representation of Pain in the Brain. In: Wall and Melzack's Textbook of Pain, 6th Edition (Elsevier 2013, eds: McMahon S, Koltzenburg, M, Tracey I, Turk DC).