

Important Immunization Information for Nursing Students

Please complete the attached immunization form and return it to the Student Wellness Hub before the deadlines specified below. Failure to submit your completed documents by the specified deadlines may result in your registration or placement being delayed or cancelled. Please ensure you begin the process as soon as possible, as some immunization requirements take time to complete.

The deadlines for your faculty/school are:

Newly admitted nursing students (Fall Term): June 15th

The form can be reviewed and completed by your family physician, or a nurse at your local clinic (in Quebec: CLSC). Once you have a student ID number and have registered for at least one course you may also have your form completed by a nurse at the Student Wellness Hub. In any case, be sure to bring all your supporting immunization documentation (including your vaccination booklet, records of previous immunizations, etc.) to assist the provider.

McGill University enforces the immunization requirements prescribed by the Department of Public Health to ensure safety of both the patient and student. For any immunization requirements beyond those prescribed by the Protocole d'Immunisation du Québec (PIQ), you may have to pay for the extra vaccines and tests.

By the deadlines above, if you have completed the entire immunization form at a local clinic and it is signed by a healthcare professional, please forward it to the Student Wellness Hub for review along with any supporting documentation if required. If your form is incomplete, please forward all supporting immunization records for review. If your submission was incomplete, you will need to submit additional documentation to complete your review as it is obtained. All documents are to be submitted as a single PDF file using the submission webform.

Note the link above is the only means of communication to submit immunization documents. You are discouraged from submitting documents by e-mail for security reasons. Please keep all originals for your records.

The Student Wellness Hub will communicate your immunization status (complete or incomplete) to you and your unit, but make sure to upload a copy of your immunization status e-mail to the nursing portal. If you require the details of your immunization status (i.e. the complete form) you can obtain a copy from our Patient Portal or by completing an <u>Authorization to Release Information</u>. For more information on how to make an appointment with the McGill Student Wellness Hub, connect to https://www.mcgill.ca/wellness-hub/access-care

T:+1514-398-6017

F: +1 514-398-2559



Information on Specific Tests and Vaccines

1. Tetanus, diphtheria and pertussis

- Provide dates of your childhood vaccines
- If you do not have documentation for your childhood immunizations (booklets with dates), you must be revaccinated following the adapted schedule as outlined on the immunization form
- No booster dose is required before the age of 50 if the primary vaccination is completed

2. Polio

- Systematic vaccination of adults, including healthcare workers and interns, is not necessary in Quebec. The risk of exposure to the polio virus in North America is minimal.
- Polio booster is not required unless the student is at increased risk of exposure to "wild" polio (e.g., those travelling to, or planning to work in areas that have wild polio or vaccine-derived polio outbreaks)

3. Measles

One of the following items is required:

- Students born before 1970 are considered immune
- Documented evidence of vaccination with two doses of measles containing vaccine, given at least a month a part starting on or after the first birthday
- Documented history of the disease before January 1st, 1996
- Documentation of positive measles serology** (attach results)

4. Mumps

One of the following items is required:

- Students born before 1970 are considered immune
- Documented evidence of vaccination with one dose of mumps containing vaccine
- Documentation of positive mumps serology** (attach results)

5. Rubella

One of the following items is required:

- Documented evidence of vaccination with one dose of Rubella containing vaccine
- Documentation of positive Rubella serology** (attach results)

If serology results are negative to one or more of these 3 infections, a booster with a trivalent vaccine (MMR) is required.

Pre-test serological testing for measles, mumps and rubella is not recommended, nor is the cost covered in Quebec. Students without written proof of vaccination should be vaccinated. Post testing following vaccination is also not recommended.

6. Varicella

One of the following items is required:

- A history of previous illness
- Documented evidence of 2 doses of varicella vaccine (attach document)
- Documentation of a positive varicella serology is required (attach document)

If you do not meet the above criteria, you must receive the vaccines (2 doses at least a month apart). No blood test is required after the vaccination. The CIQ recommends a total of 2 doses for interns and healthcare workers newly hired in the Quebec healthcare system.

7. Hepatitis B

- Proof of vaccination: Complete series of 2-3 vaccines. If no documented proof of vaccination, proceed with the vaccination series. Serology before vaccination is not recommended nor it is covered in Quebec.
- Serology is required if most recent dose was given in the last 1-6 months. It is not required if last dose of Hepatitis B vaccine was given more than 6 months ago.
- In a case of accidental exposure to blood and/or body fluid a post exposure, evaluation is recommended.
- Serology for Hepatitis B surface Antibody must be drawn 1 to 6 months after the last dose and show protective levels (anti-HBs ≥ 10 mIU/mI).
- If anti-HBs is ≤ 10 mIU/ml or absent, revaccinate with a single dose AND recheck for Hepatitis B surface Antibody and antigen 1 to 2 Months post vaccination. If anti- HBs ≥ 10 mIU/ml no further action is required. If anti-HBs is ≤ 10 mIU/ml or absent continue with the second and third dose with the appropriate schedule AND recheck for Hepatitis B surface Antibody 1 to 2 months post vaccination.
- Students found to have a chronic hepatitis B infection or to be a carrier (hepatitis B surface antigen positive - HBsAg) must consult their faculty's program coordinator.
- Students found to be a non-converter after the second series of vaccines must consult their faculty's program coordinator.

8. Tuberculosis:

A two-step Mantoux is required ONLY for students answering YES to one of the following:

- 1. Born in Canada before 1976
- 2. Born outside of Canada
- 3. Received the BCG vaccine
- 4. Known exposure/ contact with active tuberculosis
- 5. Has travelled 3 months or more cumulative time outside of the following countries: Canada, United States, Australia, Western Europe (Germany, Austria, Belgium, Denmark, Finland, France, Greece, Ireland, Italy, Luxembourg, Norway, Netherlands, United Kingdom, Sweden, Switzerland) and the West Indies (except Haiti and the Dominican Republic, which are high incidence)
- The second TST is to be performed 7 days to 1 year after the first step
 provided there was no exposure to Mycobacterium tuberculosis during
 the past year.
- All TST must be read 48-72 hours after administration by a trained healthcare worker. Self-reading of TST is not accepted
- The reading must be recorded in millimeters of induration NOT "positive" or "negative".
- If you have a documented previous 2-step TST you will only require a 1-step TST done within the last 12 months.
- If the first test is positive or you have had a positive test in the past, do not proceed with another test. Instead, you should be referred for a chest x-ray and for a consultation with a respirologist. Be sure to include a chest x-ray and report with your forms.
- An Interferon-gamma released assay (IGRA), either QuantiFERON or T-SPOT.TB assay, performed within the year will be accepted instead of a TST.

The seasonal influenza vaccine is highly recommended if clinical placement is during the influenza season, between November and March.



Name:		
DOB:	ID#:	
Program:		

1-2. PRIMARY SERIES DPT-POLIO					
				<u>Date</u>	
2 months	Sabin Salk	Other			
4 months	Sabin Salk	Other			
6 months	Sabin Salk	Other			
18 months	Sabin Salk	Other			
4-6 years	Sabin Salk	Other			
D2T5 or Tdap 14-16 years					
Booster					
3. MEASLES					
	he following items is	1		•	
Measles Vaccine (2 doses	· · ·	Date:		Date:	
Documented history of the	he disease before Jan	1st 1996			
Documentation of positive	ve measles serology (attach repor	t)		
Born prior to 1970					
4. MUMPS					
	One of the following items is required for evidence of immunity				
Mumps Vaccine (1 dose)				Date:	
Documentation of positive mumps serology (attach report)					
Born prior to 1970					
5. RUBELLA					
One of the following items is required for evidence of immunity					
Rubella Vaccine (1 dose)				Date:	
Documentation of positive rubella serology (attach report)					
OR					
ADAPTED VACCINATION SCHEDULE FOR STEPS 1-5					

ADAPTED VACCINATION SCHEDULE FOR STEPS 1-5						
If no vaccination records are available, vaccinate according to this schedule						
FIRST VISIT (NOW) SECOND VISIT (in 1-2 months) THIRD VISIT (in 8 months)					(in 8 months)	
VACCINE	DATE	VACCINE	DATE	VACCINE	DATE	
TdaP		D2T5		D2T5		
MMR		MMR				

Montreal, Quebec, Canada H3A 0G3



Name:		
DOB:	ID#:	
Program:		

6. VARICELLA (CHICKEN POX)						
One of the following items is required for evidence of immunity						
A history of previous illness	Date:					
Documentation of positive varicella serology (attach report)						
Varicella Vaccine (2 doses)	VACCINE	<u>DATE</u>				
		_				
7 LIEDATITIS D						
7. HEPATITIS B	VA CCINIE	DATE				
PRIMARY VACCINATION SERIES	VACCINE	<u>DATE</u>				
FIRST DOSE	Hep B Twinrix					
SECOND DOSE	Hep B Twinrix					
THIRD DOSE (if indicated)	Hep B Twinrix					
SEROLOGY (if primary vaccination	series completed in the last 6 months)					
Anti-HBs (attach report)	Value: POS	NEG				
If serology not indicated, please specify why:						
BOOSTER VACCINATION SERIES	VACCINE	<u>DATE</u>				
FIRST HEP B BOOSTER						
SECOND HEP B BOOSTER						
THIRD HEP B BOOSTER						
SEROLOGY (1-2 MONTHS FOLLOWING A BOOSTER DOSE (IF APPLICABLE)						
Anti-HBs (attach report)	Value: POS POS	NEG				
Anti-HBs (attach report)	Value: POS POS	NEG				
HepB Surface Antigen	POS NEG					

T:+1514-398-6017

F:+1514-398-2559



Name:		
DOB:	ID#:	
Program:		

8. TWO-STEP TUBERCULOSIS SKIN TEST (TST)					
A two-step Mantoux is required ONLY if YES is selected for one of the following:					
Born in Canada before 1976				YN	
Born outside Canada				YN	
Received the BCG vaccin	e (if yes, specify date:)	YN	
Known exposure/contact	t with active tuberculosis			YN	
Has travelled 3 months of	or more cumulative time out	side the following count	ries:	YN	
· ·	ustralia, Finland, Germany, A	, • ,	•		
· · · · · · · · · · · · · · · · · · ·	Italy, Luxembourg, Norway,	· ·	•		
	tilles (Caribbean except Hait	·	-		
If a TST is indicated, an	d a two-step test is already	documented then only a	one-step	test is required	
TST Test	Date Planted	Date Read	Re	sult in mm	
		(within 48-72 hours)	<u>(Ir</u>	nduration)	
Test #1					
Test #2					
One-Step Test					
	An IGRA within the last	year can replace a TST			
Date:	QuantiFERON [T-SPOT.TB assay	Result: _		
If the induration Is ≥ tha	n 10 mm (or if a significant 7	TST result is already docu	ımented)	a chest x-ray and	
a consultation with a re	espirologist is required. Be s	ure to attach a copy of the	he x-ray a	nd respirologist	
	report to t	his form)			
Date	Name of Specialist	Result		eriod of INH	
		Treatment			
ATTESTING SIGNATURE					
I hereby attest that this document has been completed to the best of my knowledge based on					
information and supporting documentation provided for review.					
Clinician's Name: Date:					
Clinician's Signature: License Number:					
Clinic Name:	Clinic Phone Number:				
Clinic Address:					